




ITEM NO.	QTY. -041	QTY. -042	PART NUMBER	DESCRIPTION
1	X		D3798-041	SPACEPOD FLOOR ASSEMBLY, LH
2		X	D3798-042	SPACEPOD FLOOR ASSEMBLY, RH
3	1		D3798-1	SPACEPOD FLOOR
4		1	D3798-2	SPACEPOD FLOOR
5	1	1	D3798-3	SPACEPOD FLOOR FOAM
6	1	1	D3798-5	REINFORCEMENT
7	33	33	MS20426AD4-3	RIVET




B D3798-041 SPACEPOD FLOOR, LH



DETAIL A A6-1
SCALE 4X



DETAIL B B3-1
SCALE 4X




B D3798-042 SPACEPOD FLOOR, RH

RELEASED
2009-10-13
[Signature]

- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3798-041/-042 USING WHITE FINE POINT PERMANENT MARKER
 - 7) WEIGHT: D3798-041 - 5.0 lbs
D3798-042 - 5.0 lbs
 - B** 8) ASSEMBLY INSTRUCTIONS
 - RIVET D3798-5 REINFORCEMENT TO D3798-1/-2 SPACEPOD FLOOR USING RIVETS AS INDICATED
 - POWDER COAT PER NOTE 2
 - INSTALL D3798-3 FOAM AS INDICATED USING CONTACT CEMENT. TRIM TO FIT.

B	ADD -5 (SHEET 4); REVISE -041/-042; ADD ASSEMBLY INSTRUCTIONS (NOTE 8)	<i>[Signature]</i>	09.10.08
A	NEW ISSUE	HS	08.10.20
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>[Signature]</i>		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3798	SHEET 1 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SPACEPOD FLOOR	NTS
DATE	09.10.08	COPYRIGHT © 2008 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D3798-1 SPACEPOD FLOOR

RELEASED
2009-10-13

- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.050 THICK
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
REF DART SPEC M6061T6S.050
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 4.0 lbs
 - 8) CONTROL PART PER TEMPLATE DT9432

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3798	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SPACEPOD FLOOR	NTS
DATE	09.10.08	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D3798-2 SPACEPOD FLOOR

RELEASED
2009-10-13
MD

- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.050 THICK
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
REF DART SPEC M6061T6S.050
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 4.0 lbs
 - 8) CONTROL PART PER TEMPLATE DT9432

DESIGN	<i>AS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>AS</i>		
CHECKED	<i>AS</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>AS</i>	D3798	SHEET 3 OF 5
APPROVED	<i>MD</i>	TITLE	SCALE
DE APPR.	<i>MD</i>	SPACEPOD FLOOR	NTS
DATE	09.10.08	COPYRIGHT © 2008 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D3798-3 SPACEPOD FLOOR FOAM

RELEASED
2009-10-13
MP

- NOTES:
- 1) MATERIAL: BLACK NEOPRENE CLOSED CELL FOAM, 0.125 THICK
REF DART SPEC M-4111N-S.125
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.5 lbs
 - 8) CONTROL PART PER TEMPLATE DT9433







DESIGN	<i>AS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>AS</i>		
CHECKED	<i>BS</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>BS</i>	D3798	SHEET 4 OF 5
APPROVED	<i>MP</i>	TITLE	SCALE
DE APPR.	<i>MP</i>	SPACEPOD FLOOR	NTS
DATE	09.10.08	COPYRIGHT © 2008 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D3798-5 REINFORCEMENT

RELEASED
2009-10-13
MP

- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.050 THICK
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
REF DART SPEC M6061T6S.050
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.5 lbs
 - 8) CONTROL PART PER TEMPLATE DT9535

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3798	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SPACEPOD FLOOR	NTS
DATE	09.10.08	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			